

Application number: **19BO1037.XP**

Issuance: **1**

Date issued: February 25, 2020

Issued to: **Boulder BioMed, LLC**

Facility Name: Western  
Plant AIRS ID: 013/1498  
Physical Location: 5421 Western Ave, Boulder CO 80301  
County: Boulder  
General Description: Medical Device Sterilization

**Equipment or activity:**

Facility Equipment ID	AIRS Point	Description
-	001	Four (4) 3M Steri-Vac Sterilizer/Aerators routed to 50AN abators

The Division has determined the uncontrolled emissions of Non Criteria Reportable Pollutants (NCRP) from this source exceed the minimum reporting levels per Regulation 3, Part A, Section II.B.3.b, an APEN is required. However, since this source is not subject to Colorado Maximum Achievable Control Technology or Generally Available Control Technology this source does not need a construction permit per Regulation 3, Part B, Section II.A.5.a. It should be noted that although exempted sources may not need air emission permits, they still are required to meet all applicable standards and regulations of the Air Quality Control Commission.

This exemption from permit requirements is issued in reliance upon the accuracy and completeness of information supplied by the applicant and is conditioned upon construction, installation and operation in accordance with this information and with representations made by the applicant or applicant's agents. Specifically, this exemption has been granted provided that the following information is accurate and complete:

Emission of HAPS shall be less than ten (10) tons per year

According to the Division's preliminary analysis, this operation will result in the emission of the following air pollutants on an uncontrolled basis:


Non-Criteria Reportable Pollutants: 950 pounds per year.

Please, be advised that annual records of material consumption shall be maintained by the applicant and made available to the Division for inspection upon request.



In accordance with C.R.S. 25-7-114.1, each Air Pollutant Emission Notice (APEN) is valid for a term of five years from the date it was received by the Division. A revised APEN must be submitted no later than 30 days before the five-year term expires. Please refer to the most recent annual fee invoice to determine the APEN expiration date for each emission point. For any questions regarding a specific expiration date call the Division at (303)-692-3150. (Reference: Regulation Number 3, Part A II.B.2.)

Sincerely,



---

Aaron Moseley  
Permit Engineer  
Construction Permit Unit  
Stationary Sources Program  
Air Pollution Control Division  
Colorado Department of Public Health and Environment

